

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	664	720/601-616.ccls.	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:49
L2	416	@ad<="20021112" and 1	US-PGPUB; USPAT	OR	OFF	2006/04/12 17:51
L3	55	720/652-653.ccls.	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:56
L4	135378	tray or drawer	EPO; JPO; DERWENT	OR	OFF	2006/04/12 16:57
L5	3105173	turntable or ((turn or disc or disk) adj2 table) or spindle or motor or rotor or chuck\$3 or clamp\$3 or shaft	EPO; JPO; DERWENT	OR	ON	2006/04/12 16:58
L6	19988	4 and 5	EPO; JPO; DERWENT	OR	ON	2006/04/12 16:58
L7	617947	g11b\$.ipc.	EPO; JPO; DERWENT	OR	ON	2006/04/12 16:58
L8	2934	6 and 7	EPO; JPO; DERWENT	OR	ON	2006/04/12 16:59
L9	7032407	down adj siz\$3 or reduc\$6 or thickness or thin or slim or size\$1 or volume or small\$2 oir thinness or thinness or space	EPO; JPO; DERWENT	OR	ON	2006/04/12 17:20
L10	7943	downsiz\$4	EPO; JPO; DERWENT	OR	ON	2006/04/12 17:00
L11	7036064	9 or 10	EPO; JPO; DERWENT	OR	ON	2006/04/12 17:01
L12	1173	8 and 11	EPO; JPO; DERWENT	OR	ON	2006/04/12 17:02
L13	993348	(fpc or flexcircuit\$3 or flex adj circuit\$3 or flexcable\$1 or (flex\$4 adj3 (printed or conduct\$4 or cable\$1 or wire\$1 or lead\$1 or wiring\$1))) or board\$1 or card\$1	EPO; JPO; DERWENT	OR	ON	2006/04/12 17:03
L14	86	12 and 13	EPO; JPO; DERWENT	OR	ON	2006/04/12 17:13
L15	16446	(thin\$4 or (reduc\$5 near3 thick\$4)) near4 (base or chassis)	EPO; JPO; DERWENT	OR	ON	2006/04/12 17:51
L16	25524	g11b033/\$.ipc.	EPO; JPO; DERWENT	OR	ON	2006/04/12 17:14
L17	55	15 and 16	EPO; JPO; DERWENT	OR	ON	2006/04/12 17:14
L18	16709	(thin\$4 or (reduc\$5 near3 thick\$4)) near4 (base or baseplate or chassis)	EPO; JPO; DERWENT	OR	ON	2006/04/12 17:20

## EAST Search History

L19	617947	g11b\$.ipc.	EPO; JPO; DERWENT	OR	ON	2006/04/12 17:20
L20	1916	18 and 19	EPO; JPO; DERWENT	OR	ON	2006/04/12 17:20
L21	8237984	down adj siz\$3 or reduc\$6 or thickness or thin or slim or size\$1 or volume or small\$2 or thinness or thinness or space or profile or ultra or downsiz\$5 or conserv\$6 or ultraslim\$4 or shrink\$4 or compact or diminish\$3 or scale or form adj factor or contract\$4 or short\$6	EPO; JPO; DERWENT	OR	ON	2006/04/12 17:29
L22	1890	20 and 21	EPO; JPO; DERWENT	OR	ON	2006/04/12 17:26
L23	1882	(down adj siz\$3 or thickness or thin or slim or size\$1 or volume or small\$2 or thinness or thinness or space or profile or ultra or downsiz\$5 or ultraslim\$4 or shrink\$4 or diminish\$3 or scale or form adj factor or contract\$4 or short\$6) and 22	EPO; JPO; DERWENT	OR	ON	2006/04/12 17:27
L24	4287639	(hole or concav\$5 or recess\$4 or base or enclosure or bottom or baseplate or chassis)	EPO; JPO; DERWENT	OR	ON	2006/04/12 17:50
L25	1882	23 and 24	EPO; JPO; DERWENT	OR	ON	2006/04/12 17:29
L26	340	(down adj siz\$3 or slim or size\$1 or small\$2 or space or profile or ultra or downsiz\$5 or ultraslim\$4 or shrink\$4 or scale or form adj factor) and 25	EPO; JPO; DERWENT	OR	ON	2006/04/12 17:49
L27	7799	(down adj siz\$3 or slim or size\$1 or small\$2 or space or profile or ultra or downsiz\$5 or ultraslim\$4 or shrink\$4 or scale or form adj factor).ti,ab. and ("360"/\$.ccls. or "369"/\$.ccls. or "720"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2006/04/12 17:50
L28	1398001	(hole or concav\$5 or recess\$4 or base or enclosure or bottom or baseplate or chassis).ti,ab,clm.	US-PGPUB; USPAT	OR	ON	2006/04/12 17:50
L29	2945	27 and 28	US-PGPUB; USPAT	OR	ON	2006/04/12 17:50
L30	43085	(thin\$4 or (reduc\$5 near3 thick\$4)) near4 (base or bottom or baseplate or chassis)	US-PGPUB; USPAT	OR	ON	2006/04/12 17:59
L31	183	29 and 30	US-PGPUB; USPAT	OR	ON	2006/04/12 17:51
L32	156	@ad<="20021112" and 31	US-PGPUB; USPAT	OR	OFF	2006/04/12 17:52

## EAST Search History

L33	114	(thin\$4 or (reduc\$5 near3 thick\$4)) near4 (base or bottom or baseplate or chassis)	IBM_TDB	OR	ON	2006/04/12 17:59
-----	-----	---	---------	----	----	------------------